# VITALCONN
## a vital connector company

**D-SUB cable,**

**SCSI cable,**

**CAT5/6 network cable,**

**automotive cable, medical cable, waterproof cable**

## CUSTOMIZED R&D AND PRODUCTION OF HIGH-END WIRING HARNESS

**VITALCONN ELECTRONICS TECHNOLOGY** (**SHEZHEN**) **CO., LTD**

Tel#:+86 755 86569410   Email: sales@vitalconn.com  Website: www.vitalconn.com

**VITALCONN ELECTRONICS**

**15 + YEARS OF ENTERPRISE**
**SUPPORT DEEP CUSTOMIZATION**

Focus on quality harness production / Our products sell well all over the world

## PRODUCT
## ⌄ DESCRIPTION

FOURTEEN YEARS OF CUSTOMIZED R&D AND
PRODUCTION OF HIGH-END WIRING HARNESSES

STRONG TECHNICAL TEAM AND
PERFECT QUALITY SYSTEM

BE YOUR TRUSTED SUPPLIER AND BUSINESS PARTNER

| SPECIAL | SPECIAL | COMMON |
|---|---|---|
| ■ ROBOT HARNESS | ■ ... | ■ D-SUB CABLE |
| ■ INDUSTRIAL HARNESS | ■ ... | ■ SCSI CABLE |
| ■ MEDICAL HARNESS | ■ ... | ■ CAT5/6/7 |
| ■ CAR HARNESS | ■ ... | ■ VGA/DVI/HDMI |
| ■ WATERPROOF CABLE | ■ ... | ■ USB CABLE |
| ■ LVDS HARNESS | ■ ... | ■ ... |
| ■ COAXIAL CABLE | ■ ... | ■ ... |
| ■ FLAT HARNESS | ■ ... | ■ ... |

SPECIAL PRODUCT
# 特殊产品

ROBOTIC HARNESSES
## Robot Harness

### Applicable industry：：

robot · robotic arm · intelligent · industry · CNC · ...

## product information:

NAME：Robot extension cable

### Features:

· Strong oil resistance, the sheath is still soft when tested in oil for a long time

· High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

· Imported oxygen-free copper core, the pure copper content is as high as 99.99%

· Double-layer shielding, aluminum foil and tin-plated oxygen-free copper mesh, double anti-interference

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Robot extension cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | injection molding |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

NAME：control cabinet cable

### Features:

· Strong oil resistance, the sheath is still soft when tested in oil for a long time

· High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

· Imported oxygen-free copper core, the pure copper content is as high as 99.99%

· Double-layer shielding, aluminum foil and tin-plated oxygen-free copper mesh, double anti-interference

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Robot control cabinet wire | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | injection molding |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

NAME：Robot main control cable

### Features:

· Strong oil resistance, the sheath is still soft when tested in oil for a long time

· High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

· Imported oxygen-free copper core, the pure copper content is as high as 99.99%

· Double-layer shielding, aluminum foil and tin-plated oxygen-free copper mesh, double anti-interference

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Robot main control cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | injection molding |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

**NAME：Robot Power Cable**

### Features:

· Strong oil resistance, the sheath is still soft when tested in oil for a long time

· High-quality elastic outer quilt, flexible and anti-aging,

waterproof, sun-proof, oil-resistant and frost-resistant

· Imported oxygen-free copper core, the pure copper content is as

high as 99.99%

· Double-layer shielding, aluminum foil and tin-plated oxygen-free copper

mesh, double anti-interference

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Robot Power Cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | injection molding |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

**NAME：Robot extension cable**

### Features:

· Strong oil resistance, the sheath is still soft when tested in oil for a long time

· High-quality elastic outer quilt, flexible and anti-aging,

waterproof, sun-proof, oil-resistant and frost-resistant

· Imported oxygen-free copper core, the pure copper content is as

high as 99.99%

· Double-layer shielding, aluminum foil and tin-plated oxygen-free copper

mesh, double anti-interference

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Robot extension cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | injection molding |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

**NAME：Robot control cabinet cable**

### Features:

· Strong oil resistance, the sheath is still soft when tested in oil for a long time

· High-quality elastic outer quilt, flexible and anti-aging,

waterproof, sun-proof, oil-resistant and frost-resistant

· Imported oxygen-free copper core, the pure copper content is as

high as 99.99%

· Double-layer shielding, aluminum foil and tin-plated oxygen-free copper

mesh, double anti-interference

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Robot control cabinet cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | injection molding |
| Wire length | 0.5-10m | Supply | Custom processing |

SCSI SERIES

# Industrial harness

## Applicable industry：

mechanical   motor   aviation

control   CNC   ...

## product information:

### NAME：Industrial Equipment Cables

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Industrial Equipment Cables | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：IEE488-CABLE

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | IEE488-CABLE | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：40P terminal block wiring

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 40P terminal block wiring | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | injection molding |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：current transmission cable

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | current transmission cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：data acquisition cable

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
|------|-----------|------|-----------|
| model | data acquisition cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：Aviation cable-Teflon

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
|------|-----------|------|-----------|
| model | Aviation cable-Teflon | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：CABLE-DB37PIN

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
|------|-----------|------|-----------|
| model | CABLE-DB37PIN | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：Device internal cable

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
|------|-----------|------|-----------|
| model | Device internal cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：WAGO Connector Cable

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | WAGO Connector Cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：waterproof IP67 cable

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | waterproof IP67 cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：Photo collection harness

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | Photo collection harness | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

## product information:

### NAME：data acquisition cable

### Features:

·Choose high-quality materials, not easy to break the skin, long service life

·High-quality elastic outer quilt, flexible and anti-aging, waterproof, sun-proof, oil-resistant and frost-resistant

·The thickened copper core has low impedance, and the signal transmission is more stable

·With shielding layer, anti-interference, stable transmission

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | data acquisition cable | color | custom made |
| Core material | Oxygen-free copper wire | connector | client needs |
| Outer material | PVC | Craft | with braid |
| Wire length | 0.5-10m | Supply | Custom processing |

D-SUB SERIES

# MEDICAL CABLE SERIES

## Applicable industry:

Medical  instruments  equipment
power supply  image  ...

## product information:

NAME：Medical equipment cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | Medical equipment wire | color | White |
| Core material | Pure copper | connector | customizable |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

NAME：Medical equipment wire

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | Medical equipment wire | color | White |
| Core material | Pure copper | connector | customizable |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

NAME：Medical equipment cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | Medical equipment wire | color | cream color |
| Core material | Pure copper | connector | customizable |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Medical equipment cable

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | Medical equipment wire | color | White |
| Core material | Pure copper | connector | customizable |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Medical equipment cable

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | Medical equipment wire | color | White |
| Core material | Pure copper | connector | customizable |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Medical equipment cable

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | Medical equipment wire | color | White |
| Core material | Pure copper | connector | customizable |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Medical equipment cable

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | Medical equipment wire | color | White |
| Core material | Pure copper | connector | customizable |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Medical Control Cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Medical Control Cable | color | White |
| Core material | Pure copper | connector | customizable |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

AUTOMOBILE WIRE HARNESS

# AUTOMOBILE CABLE

## Applicable industry:

automobile  Electric car  Connector

motorcycle  Battery car  …

## product information:

### NAME：Medical connecting cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Medical connecting cable | color | White |
| Core material | Pure copper | connector | customizable |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Detector harness

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Detector harness | color | black |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：automobile cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | automobile cable | color | Multicolor |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：car horn cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | car horn cable | color | black |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Car modification

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Car modification | color | Multicolor |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：car engine cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | car engine cable | color | black |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Car fog lights cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Car fog lights cable | color | Multicolor |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：automobile cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | automobile cable | color | Multicolor |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Battery car power cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Battery car power cable | color | black |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Agricultural vehicle cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Agricultural vehicle cable | color | black |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Wire for car lights

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Wire for car lights | color | Multicolor |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：car audio control cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | car audio control cable | color | Multicolor |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：Car data detection cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | Car data detection cable | color | black |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：car audio cable

### Features:

· Choose high-quality materials, not easy to break and break, longer service life
· Bold copper core has low resistance and more stable signal transmission
· Made of pure copper wire, flame-retardant high-temperature materials to prevent potential safety hazards caused by short circuits
· The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | car audio cable | color | black |
| Core material | Pure copper | connector | Customizable socket |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

WATERPROOF CABLE SERIES

# WATERPROOF CABLE SERIES

## Applicable industry:

Street lamp　　led screen　　yacht

equipment　　Communication　　...

## product information:

### NAME：4-pin single head cable

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant

· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards

· Can work in high humidity environment, corrosion resistance, anti-aging

· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 4-pin single head wire | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：19 pin female wire

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant

· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards

· Can work in high humidity environment, corrosion resistance, anti-aging

· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 19-pin female wire | color | green |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：2-pin single head cable

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant

· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards

· Can work in high humidity environment, corrosion resistance, anti-aging

· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 2-pin single head wire | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：12-pin + 8-pin cable

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
· Can work in high humidity environment, corrosion resistance, anti-aging
· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 12-pin + 8-pin cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：8-pin male cable

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
· Can work in high humidity environment, corrosion resistance, anti-aging
· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 8-pin male cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：6-pin male and female cable

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
· Can work in high humidity environment, corrosion resistance, anti-aging
· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 6-pin male and female cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：26-pin male cable

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
· Can work in high humidity environment, corrosion resistance, anti-aging
· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 26-pin male cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：7-pin male and female cable

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
· Can work in high humidity environment, corrosion resistance, anti-aging
· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 7-pin male and female cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：10-pin male and female cable

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
· Can work in high humidity environment, corrosion resistance, anti-aging
· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 10-pin male and female cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：1-pin male and female cable

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
· Can work in high humidity environment, corrosion resistance, anti-aging
· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 1-pin male and female cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：4-pin male and female cable

### Features:

· IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
· Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
· Can work in high humidity environment, corrosion resistance, anti-aging
· The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 4-pin male and female cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：M12-12P waterproof cable

### Features:

·IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
·Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
·Can work in high humidity environment, corrosion resistance, anti-aging
·The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | M12-12P waterproof cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：M8-4P-Waterproof Cable

### Features:

·IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
·Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
·Can work in high humidity environment, corrosion resistance, anti-aging
·The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | M8-4P-Waterproof Cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：M12-6P-90 degree cable

### Features:

·IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
·Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
·Can work in high humidity environment, corrosion resistance, anti-aging
·The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | M12-6P-90 degree cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：M8-6P-Waterproof cable

### Features:

·IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
·Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
·Can work in high humidity environment, corrosion resistance, anti-aging
·The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | M8-6P-Waterproof cable | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：34P-4 M12-4P CABLE**

### Features:

·IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
·Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
·Can work in high humidity environment, corrosion resistance, anti-aging
·The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 34P-4 M12-4P CABLE | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：M12-4PIN-CABLE**

### Features:

·IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
·Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
·Can work in high humidity environment, corrosion resistance, anti-aging
·The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | M12-4PIN-CABLE | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：16M-8P-Aviation head cable**

### Features:

·IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
·Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
·Can work in high humidity environment, corrosion resistance, anti-aging
·The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 16M-8P-Aviation head CABLE | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：M16-5PIN-CABLE**

### Features:

·IP67/68 waterproof rating to prevent short circuit leakage of copper parts, waterproof and drop resistant
·Overall flame retardant, no spontaneous combustion in case of open flames, eliminating safety hazards
·Can work in high humidity environment, corrosion resistance, anti-aging
·The product is injection molded to make the solder joints firm, resistant to plugging and unplugging, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | M16-5PIN-CABLE | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

LVDS CABLE SERIES

# LVDS HARNESS

## Applicable industry:

LCD screen    TV set    LED screen
computer    machinen    ...

## product information:

NAME：JAE30P-PITCH2.0 40P

### Features:

· Strict selection of pure copper material FlX30P, not easy to damage, strong stability, safe and reliable
· Flame retardant, high temperature resistance, ultra-high-definition, compact and lightweight, and strong flexibility
· Can work in high humidity environment, anti-corrosion, anti-aging
· Coated with acetic acid cloth, anti-interference, protection wire

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | LVDC-JAE-FIX-30PIN---PITCH2.0-40PIN | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Acetate cloth |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

NAME：DF19-41P-JAE-31P

### Features:

· Strict selection of pure copper material FlX30P, not easy to damage, strong stability, safe and reliable
· Flame retardant, high temperature resistance, ultra-high-definition, compact and lightweight, and strong flexibility
· Can work in high humidity environment, anti-corrosion, anti-aging
· Coated with acetic acid cloth, anti-interference, protection wire

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | LVDS-HIROSE-DF19-41PIN---JAE-FIX-31PIN | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Acetate cloth |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

NAME：40P-HIROSE-40P

### Features:

· Strict selection of pure copper material FlX30P, not easy to damage, strong stability, safe and reliable
· Flame retardant, high temperature resistance, ultra-high-definition, compact and lightweight, and strong flexibility
· Can work in high humidity environment, anti-corrosion, anti-aging
· Coated with acetic acid cloth, anti-interference, protection wire

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | 40PIN---HIROSE-40PIN | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Acetate cloth |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：LVDS-20P-FIX-30P**

### Features:

·Strict selection of pure copper material FlX30P, not easy to damage, strong stability, safe and reliable
· Flame retardant, high temperature resistance, ultra-high-definition, compact and lightweight, and strong flexibility
·Can work in high humidity environment, anti-corrosion, anti-aging
·Coated with acetic acid cloth, anti-interference, protection wire

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | LVDS-20P-FIX-30P | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Acetate cloth |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |



## product information:

**NAME：LVDS-20P---JAE-30P**

### Features:

·Strict selection of pure copper material FlX30P, not easy to damage, strong stability, safe and reliable
· Flame retardant, high temperature resistance, ultra-high-definition, compact and lightweight, and strong flexibility
·Can work in high humidity environment, anti-corrosion, anti-aging
·Coated with acetic acid cloth, anti-interference, protection wire

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | LVDS-20P---JAE-30P | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Acetate cloth |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |



## product information:

**NAME：MOLEX-20P-40P**

### Features:

·Strict selection of pure copper material FlX30P, not easy to damage, strong stability, safe and reliable
· Flame retardant, high temperature resistance, ultra-high-definition, compact and lightweight, and strong flexibility
·Can work in high humidity environment, anti-corrosion, anti-aging
·Coated with acetic acid cloth, anti-interference, protection wire

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | MOLEX-20P-40P | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Acetate cloth |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |



## product information:

**NAME：JAE-31PIN-40PIN**

### Features:

·Strict selection of pure copper material FlX30P, not easy to damage, strong stability, safe and reliable
· Flame retardant, high temperature resistance, ultra-high-definition, compact and lightweight, and strong flexibility
·Can work in high humidity environment, anti-corrosion, anti-aging
·Coated with acetic acid cloth, anti-interference, protection wire

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | JAE-31PIN-40PIN | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Acetate cloth |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：LVDS-JAE-40PIN

### Features:

·Strict selection of pure copper material FlX30P, not easy to damage, strong stability, safe and reliable
· Flame retardant, high temperature resistance, ultra-high-definition, compact and lightweight, and strong flexibility
·Can work in high humidity environment, anti-corrosion, anti-aging
·Coated with acetic acid cloth, anti-interference, protection wire

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | LVDS-JAE-40PIN | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Acetate cloth |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：LVDS-FIX-13PIN---31PIN

### Features:

·Strict selection of pure copper material FlX30P, not easy to damage, strong stability, safe and reliable
· Flame retardant, high temperature resistance, ultra-high-definition, compact and lightweight, and strong flexibility
·Can work in high humidity environment, anti-corrosion, anti-aging
·Coated with acetic acid cloth, anti-interference, protection wire

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | LVDS-FIX-13PIN---31PIN | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Acetate cloth |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：LVDS-MOLEX

### Features:

·Strict selection of pure copper material FlX30P, not easy to damage, strong stability, safe and reliable
· Flame retardant, high temperature resistance, ultra-high-definition, compact and lightweight, and strong flexibility
·Can work in high humidity environment, anti-corrosion, anti-aging
·Coated with acetic acid cloth, anti-interference, protection wire

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | LVDS-MOLEX | color | black |
| Core material | Pure copper | connector | Waterproof connector |
| Outer material | PVC | Craft | Acetate cloth |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

RF CABLE SERIES

# Coaxial cable

## Applicable industry:

television Tel computer

network Signal ...

## product information:

### NAME：BNC cable RG316

### Features:

· Using selected waterproof material shell zinc alloy needle pure copper
· No rust, anti-corrosion transmission performance is faster and more durable
· Strictly test each product many times to ensure the pass rate and better quality
· Precise workmanship, good conductivity, anti-oxidation, no rust, wear-resistant and more durable

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | LVDS-FIX-13PIN---31PIN | color | black |
| Core material | Pure copper | connector | Sma connector |
| Outer material | PVC | Craft | shrink sleeve |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：SMB-Wire RG316

### Features:

· Using selected waterproof material shell zinc alloy needle pure copper
· No rust, anti-corrosion transmission performance is faster and more durable
· Strictly test each product many times to ensure the pass rate and better quality
· Precise workmanship, good conductivity, anti-oxidation, no rust, wear-resistant and more durable

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | SMB-Wire RG316 | color | black |
| Core material | Pure copper | connector | Sma connector |
| Outer material | PVC | Craft | shrink sleeve |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：SMA-SMB-IPEX-CABLE

### Features:

· Using selected waterproof material shell zinc alloy needle pure copper
· No rust, anti-corrosion transmission performance is faster and more durable
· Strictly test each product many times to ensure the pass rate and better quality
· Precise workmanship, good conductivity, anti-oxidation, no rust, wear-resistant and more durable

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | SMA-SMB-IPEX-CABLE | color | black |
| Core material | Pure copper | connector | Sma connector |
| Outer material | PVC | Craft | shrink sleeve |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：TNC-CABLE-RG174

### Features:

· Using selected waterproof material shell zinc alloy needle pure copper
· No rust, anti-corrosion transmission performance is faster and more durable
· Strictly test each product many times to ensure the pass rate and better quality
· Precise workmanship, good conductivity, anti-oxidation, no rust, wear-resistant and more durable

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | TNC-CABLE-RG174 | color | black |
| Core material | Pure copper | connector | Sma connector |
| Outer material | PVC | Craft | shrink sleeve |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## FLAT CABLE SERIES

# Flat cable

## Applicable industry:

appliances  television  ship

industry  machine  …

## product information:

### NAME：Flexible Flat Cable

### Features:

· Low resistance, long-lasting and stable safety performance, safe without overheating

· The overall flame retardant, will not spontaneously ignite in case of open fire, and eliminate potential safety hazards

·Can work in high humidity environment, anti-corrosion, anti-aging

·Using precision molds to ensure product quality

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | Flexible Flat Cable | color | black |
| Core material | Pure copper | connector | IDC connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：UL-40PIN-40PIN

### Features:

· Low resistance, long-lasting and stable safety performance, safe without overheating

· The overall flame retardant, will not spontaneously ignite in case of open fire, and eliminate potential safety hazards

·Can work in high humidity environment, anti-corrosion, anti-aging

·Using precision molds to ensure product quality

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | UL-2678-30AWG-40PIN-40PIN | color | black |
| Core material | Pure copper | connector | IDC connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### 产品名称：UL2464-13P-IDC-26PIN

### Features:

· Low resistance, long-lasting and stable safety performance, safe without overheating

· The overall flame retardant, will not spontaneously ignite in case of open fire, and eliminate potential safety hazards

·Can work in high humidity environment, anti-corrosion, anti-aging

·Using precision molds to ensure product quality

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | UL2464-13P-Connector IDC-26PIN | color | black |
| Core material | Pure copper | connector | IDC connector |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

CONVENTIONAL PRODUCTS

# 常规产品

## D-SUB SERIES

# D-SUB SERIES

### Applicable industry:

- computer
- printer
- TV set
- projector
- machinery
- ...

## product information:

### NAME：D-SUB 15P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for DB15 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DB15P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | DB15P Male to female |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME:D-SUB 9P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for DB9 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DB9P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | DB9P Male to female |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME:D-SUB 25P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for DB25 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DB25P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | DB25P Male to female |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：D-SUB 37P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for DB37 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DB37P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | DB37P Male to female |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |



## product information:

### NAME：D-SUB 50P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for DB50 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DB50P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | DB50P Male to female |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |



## product information:

### NAME：D-SUB 44P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for DB44 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DB44P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | DB37P Male to female |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |



## product information:

### NAME：D-SUB 62P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for DB62 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| 名称 | 参数 | 名称 | 参数 |
|---|---|---|---|
| model | DB62P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | DB62P Male to female |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：D-SUB 78P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for DB50 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DB78P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | DB78P Male to female |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：SCSI 36P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for SCSI36 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | SCSI 36PCABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | SCSI 36P Male to Male |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

SCSI SERIES

# SCSI SERIES



## Applicable industry:

computer    TV set    equipment
CNC    mechanical    ···

## product information:

### NAME：SCSI 50P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for SCSI36 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | SCSI 50P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | SCSI 50P Male to Male |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：SCSI 68P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for SCSI68 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | SCSI 68P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | SCSI 68P Male to Male |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：SCSI 100P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for SCSI100 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | SCSI 100P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | SCSI 100P Male to Male |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：VHDCI 68P Data line

### Features:

·Choose high-quality materials, not easy to break and break, longer service life
·Bold copper core has low resistance and more stable signal transmission
·Easy to use, plug and play, suitable for VHDCI68 interface
·The product is injection molded to make the solder joints firm, not easy to open, and effectively prevent oxidation

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | VHDCI 68P CABLE | color | black/Beige |
| Core material | Tinned copper wire | connector | VHDCI 68P Male to Male |
| Outer material | PVC | Craft | Injection molding |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

CAT5/6 SERIES

# CAT5/6 SERIES

## Applicable industry:

office　engine room　Internet cafe
monitor　network　...

## product information:

### NAME：CAT5 CAT6 CABLE

### Features:

· Environmental protection skin is suitable for indoor, non-toxic, effective, flame-retardant, waterproof and sunscreen
· With aluminum foil shielding layer, strong anti-interference ability
· Twisted pair wires are twisted tightly, which greatly enhances signal stability and faster transmission
· Oxygen-free copper core has excellent conductivity

### parameter:

| name | parameter | name | name |
|---|---|---|---|
| model | CAT5 CAT6 CABLE | color | blue |
| Core material | Oxygen-free copper | connector | RJ45 Crystal Head |
| Outer material | PVC | Craft | Twisted pair |
| Wire length | 0.5-100m | Supply | Spot goods/Custom processing |

## product information:

### NAME：High-speed cable

### Features:

· Environmental protection skin is suitable for indoor, non-toxic, effective, flame-retardant, waterproof and sunscreen
· With aluminum foil shielding layer, strong anti-interference ability
· Twisted pair wires are twisted tightly, which greatly enhances signal stability and faster transmission
· Oxygen-free copper core has excellent conductivity

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | High-speed network cable | color | grey |
| Core material | Oxygen-free copper | connector | RJ45 Metal head |
| Outer material | PVC | Craft | Twisted pair |
| Wire length | 0.5-100m | Supply | Spot goods/Custom processing |

## product information:

### NAME：High-speed cable

### Features:

· Environmental protection skin is suitable for indoor, non-toxic, effective, flame-retardant, waterproof and sunscreen
· With aluminum foil shielding layer, strong anti-interference ability
· Twisted pair wires are twisted tightly, which greatly enhances signal stability and faster transmission
· Oxygen-free copper core has excellent conductivity

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | High-speed network cable | color | black |
| Core material | Oxygen-free copper | connector | RJ45 Metal head |
| Outer material | PVC | Craft | Twisted pair |
| Wire length | 0.5-100m | Supply | Spot goods/Custom processing |

## product information:

### NAME：High-speed cable

### Features:

· Environmental protection skin is suitable for indoor, non-toxic, effective, flame-retardant, waterproof and sunscreen
· With aluminum foil shielding layer, strong anti-interference ability
· Twisted pair wires are twisted tightly, which greatly enhances signal stability and faster transmission
· Oxygen-free copper core has excellent conductivity

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | High-speed network cable | color | yellow |
| Core material | Oxygen-free copper | connector | RJ45 Metal head |
| Outer material | PVC | Craft | Twisted pair |
| Wire length | 0.5-100m | Supply | Spot goods/Custom processing |

## product information:

### NAME：With sheath cable

### Features:

·Environmental protection skin is suitable for indoor, non-toxic, effective, flame-retardant, waterproof and sunscreen
·With aluminum foil shielding layer, strong anti-interference ability
·Twisted pair wires are twisted tightly, which greatly enhances signal stability and faster transmission
·Oxygen-free copper core has excellent conductivity

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | With sheath cable | color | black |
| Core material | Oxygen-free copper | connector | RJ45 Crystal Head |
| Outer material | PVC | Craft | Twisted pair |
| Wire length | 0.5-100m | Supply | Spot goods/Custom processing |

## product information:

### NAME：High-speed cable

### Features:

·Environmental protection skin is suitable for indoor, non-toxic, effective, flame-retardant, waterproof and sunscreen
·With aluminum foil shielding layer, strong anti-interference ability
·Twisted pair wires are twisted tightly, which greatly enhances signal stability and faster transmission
·Oxygen-free copper core has excellent conductivity

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | High-speed network cable | color | blue |
| Core material | Oxygen-free copper | connector | RJ45 Crystal Head |
| Outer material | PVC | Craft | Twisted pair |
| Wire length | 0.5-100m | Supply | Spot goods/Custom processing |

## product information:

### NAME：High-speed cable

### Features:

·Environmental protection skin is suitable for indoor, non-toxic, effective, flame-retardant, waterproof and sunscreen
·With aluminum foil shielding layer, strong anti-interference ability
·Twisted pair wires are twisted tightly, which greatly enhances signal stability and faster transmission
·Oxygen-free copper core has excellent conductivity

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | High-speed network cable | color | black |
| Core material | Oxygen-free copper | connector | RJ45 Crystal Head |
| Core material | PVC | Craft | Twisted pair |
| Wire length | 0.5-100m | Supply | Spot goods/Custom processing |

## product information:

### NAME：reel High-speed cable

### Features:

·Environmental protection skin is suitable for indoor, non-toxic, effective, flame-retardant, waterproof and sunscreen
·With aluminum foil shielding layer, strong anti-interference ability
·Twisted pair wires are twisted tightly, which greatly enhances signal stability and faster transmission
·Oxygen-free copper core has excellent conductivity

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | reel High-speed cable | color | black /blue |
| Core material | Oxygen-free copper | connector | RJ45 Crystal Head |
| Outer material | PVC | Craft | Twisted pair |
| Wire length | 0.5-100m | Supply | Spot goods/Custom processing |

HDMI、DP、DVI、VGA SERIES

# HDMI、DP、DVI、VGA SERIES

## Applicable industry:

computer | Display screen | TV set
Digital | CNC | ...

## product information:

### NAME：HDMI Data line

### Features:

· 1080P high-definition picture quality, simultaneous audio and video output, giving you a high-definition vision
· Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
· Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
· Easy to use, plug and play, widely used equipment, suitable for HDMI interface

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | HDMI Data line | color | black |
| Core material | Pure copper | connector | HDMI |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：HDMI 4K Data line

### Features:

· 4K high-definition picture quality, simultaneous audio and video output, giving you a high-definition vision
· Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
· Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
· Easy to use, plug and play, widely used equipment, suitable for HDMI interface

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | HDMI 4K Data line | color | black |
| Core material | Oxygen-free copper | connector | HDMI |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：HDMI Extension cord

### Features:

· 1080P high-definition picture quality, simultaneous audio and video output, giving you a high-definition vision
· Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
· Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
· Easy to use, plug and play, widely used equipment, suitable for HDMI interface

### parameter:

| name | parameter | name | parameter |
| --- | --- | --- | --- |
| model | HDMI Extension cord | color | black |
| Core material | Pure copper | connector | HDMI |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：HDMI TWIN 90 Data line**

### Features:

·1080P high-definition picture quality, simultaneous audio and video output, giving you a high-definition vision
·Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
·Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
·Easy to use, plug and play, widely used equipment, suitable for HDMI interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | HDMI TWIN 90 Data line | color | black |
| Core material | Pure copper | connector | HDMI |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：DP 4K Data line**

### Features:

·4K high-definition picture quality, simultaneous audio and video output, giving you a high-definition vision
·Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
·Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
·Easy to use, plug and play, widely used equipment, suitable for DP interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DP 4K Data line | color | White |
| Core material | Pure copper | connector | DP |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：HDMI ONE 90 Data line**

### Features:

·1080P high-definition picture quality, simultaneous audio and video output, giving you a high-definition vision
·Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
·Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
·Easy to use, plug and play, widely used equipment, suitable for HDMI interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | HDMI ONE 90 Data line | color | black |
| Core material | Pure copper | connector | HDMI |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：DP Data line**

### Features:

·1080P high-definition picture quality, simultaneous audio and video output, giving you a high-definition vision
·Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
·Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
·Easy to use, plug and play, widely used equipment, suitable for DP interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DP Data line | color | black |
| Core material | Pure copper | connector | DP |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：DP Extension cord**

### Features:

·1080P high-definition picture quality, simultaneous audio and video output, giving you a high-definition vision
·Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
·Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
·Easy to use, plug and play, widely used equipment, suitable for DP interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DP Extension cord | color | black |
| Core material | Pure copper | connector | DP |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：MINI DP To DP Data line**

### Features:

·4K high-definition picture quality, simultaneous audio and video output, giving you a high-definition vision
·Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
·Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
·Easy to use, plug and play, widely used equipment, suitable for MINI DP/DP interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | MINI DP to DP Data line | color | black |
| Core material | Pure copper | connector | MINI DP/DP |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：MINI DP To DP Data line**

### Features:

·4K high-definition picture quality, simultaneous audio and video output, giving you a high-definition vision
·Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
·Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
·Easy to use, plug and play, widely used equipment, suitable for MINI DP/DP interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | MINI DP to DP Data line | color | White |
| Core material | Pure copper | connector | MINI DP/DP |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

**NAME：DVI HD Data line**

### Features:

·Dual channel, support 2K HD transmission, double the clear picture quality experience
·Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen
·Multi-function extended use, high-speed lossless transmission, fun with large-screen mode
·Easy to use, plug and play, widely used equipment, suitable for DVI interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DVI HD Data line | color | White |
| Core material | Pure copper | connector | DVI |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：DVI HD Data line

### Features:

· Dual channel, support 2K HD transmission, double the clear picture quality experience

· Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen

· Multi-function extended use, high-speed lossless transmission, fun with large-screen mode

· Easy to use, plug and play, widely used equipment, suitable for DVI interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DVI HD Data line | color | black |
| Core material | Pure copper | connector | DVI |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：VGA Data line

### Features:

· Dual channel, support 2K HD transmission, double the clear picture quality experience

· Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen

· Multi-function extended use, high-speed lossless transmission, fun with large-screen mode

· Easy to use, plug and play, widely used equipment, suitable for VGA interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | VGA Data line | color | black |
| Core material | Pure copper | connector | VGA |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：DVI To VGA Data line

### Features:

· Dual channel, support 2K HD transmission, double the clear picture quality experience

· Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen

· Multi-function extended use, high-speed lossless transmission, fun with large-screen mode

· Easy to use, plug and play, widely used equipment, suitable for DVI/VGA interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | DVI To VGA Data line | color | black |
| Core material | Pure copper | connector | DVI/VGA |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：VGA Data line

### Features:

· Dual channel, support 2K HD transmission, double the clear picture quality experience

· Anti-interference, no flickering screen, multiple weaving, avoid signal interference, reject flickering screen

· Multi-function extended use, high-speed lossless transmission, fun with large-screen mode

· Easy to use, plug and play, widely used equipment, suitable for VGA interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | VGA Data line | color | black |
| Core material | Pure copper | connector | VGA |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

USB CABLE SERIES

# USB CABLE

## Applicable industry:

- computer
- display
- TV
- digital
- machine
- ...

## product information:

### NAME：USB CABLE

### Features:

· Two-way stable transmission, using thick copper core, fast without delay

· Anti-interference, multiple weaving, avoid signal interference, electromagnetic interference

· Gold-plated/nickel-plated alloy plug, safe and durable, long service life

· Easy to use, plug and play, suitable for USB interface

## parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | USB Data line | color | black |
| Core material | Pure copper | connector | USB |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：hard drive data cable

### Features:

· Connect and read the mobile hard disk box, plug it in and it can be used, with sufficient power supply and fast transmission

· USB 3.0 interface standard, data transfer rate up to 5GBPS

· The joint is anti-oxidative and rust-resistant, and the mesh tail is designed to resist bending and be more durable.

· Easy to use, plug and play, suitable for USB/MICRO 3.0 interface

## parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | hard drive data cable | color | black |
| Core material | Pure copper | connector | USB/micro 3.0 |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：USB2.0 printer cable

### Features:

· Universal square interface device, suitable for a variety of devices

· Anti-interference, no screen flicker, multiple weaving, avoid signal interference, electromagnetic interference

· Color printing is not distorted, and the text effect is clear and error-free

· Gold-plated/nickel-plated interface, plug and play, no driver required, suitable for USB interface

## parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | usb printer cable | color | black |
| Core material | Pure copper | connector | USB |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |

## product information:

### NAME：USB3.0 printer cable

### Features:

· USB 3.0 square interface device is universal, suitable for a variety of devices

· Anti-interference, no screen flicker, multiple weaving, avoid signal interference, electromagnetic interference

· Color printing is not distorted, the text effect is clear, and high-speed printing

· Gold-plated/nickel-plated interface, plug and play, no driver required

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | USB 3.0 printer cable | color | black |
| Core material | Pure copper | connector | USB |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |



## product information:

### NAME：USB 3.0 extension cable

### Features:

· Motherboard 20Pin to USB3.0 double-layer dual-port extension cable

· High-fidelity transmission, strong anti-interference ability, and reduced transmission signal attenuation

· Pure copper wire, extended use, high-speed lossless transmission

· Gold-plated/nickel-plated interface, plug and play, no driver required

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | USB 3.0 extension cable | color | black |
| Core material | Pure copper | connector | USB 3.0 |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |



## product information:

### NAME：USB 2.0 extension cable

### Features:

· Motherboard 9Pin to USB2.0 double-layer dual-port extension cable

· High-fidelity transmission, strong anti-interference ability, and reduced transmission signal attenuation

· Multi-function extended use, high-speed lossless transmission

· Gold-plated/nickel-plated interface, plug and play, no driver required, suitable for USB interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | USB 2.0 extension cable | color | black |
| Core material | Pure copper | connector | USB 2.0 |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |



## product information:

### NAME：USB TO DB9 CABLE

### Features:

· The joint is anti-oxidative and rust-resistant, and the mesh tail is designed to resist bending and be more durable.

· Anti-interference, no screen flicker, multiple weaving, avoid signal interference, reject screen flicker

· Pure copper wire, USB to DB9 connection, high-speed lossless transmission

· Easy to use, plug and play, suitable for USB/DB9 interface

### parameter:

| name | parameter | name | parameter |
|---|---|---|---|
| model | USB to DB9 cable | color | black |
| Core material | Pure copper | connector | USB 2.0 |
| Outer material | PVC | Craft | Gold plated/nickel plated |
| Wire length | 0.5-10m | Supply | Spot goods/Custom processing |