


REV.	ECN. NO.	NAME	DATE





NOTE:
MATERIAL:



- CONTACT: PHOSPHOR BRONZE.
- CONNECTOR HOUSING: LCP UL 94V-0. COLOR BLACK.
- MOULDED INSERT: HIGH TEMPERATURE PLASTIC UL 94V-0. COLOR:BLACK.
- CAGE: COPPER ALLOY.
- LIGHT PIPES: POLYCARBONATE. UL 94V-0. COLOR:CLEAR
- LIGHT PIPE HOUSING: PBT UL 94V-0 COLOR:BLACK.
- EMI CLIP: COPPER ALLOY.

PLATED:

- CONTACT MATING AREA : PLATING GOLD 0.76 MICROMETERS MINIMUM OVER 1.27 MICROMETERS MINIMUM NICKEL.
- CONTACT NEEDLE EYE 1.27 MICROMETERS MINIMUM MATTE TIN OVER 1.27 MICROMETERS MINIMUM NICKEL.





RoHS Compliant

TOLERANCE UNSPECIFIED		 a vital connector company		FOR YOUR VITAL CONNECTION			
.0	± 0.38			TITLE: SFP28 2*8 CONN			
.00	± 0.25	DRAWN BY:	BECKER	PART NO:	SC281XX	REV: A	
.000	± 0.10	CHECKED BY:	VTA	SIZE: A4	UNIT:mm	SHEET:10F4	FCN: A6
ANGLE	± 3.00°	APPROVED BY:	QPF	PROJECTION		http://www.vitalconn.com	
MANUFACTURING COPY							

REV.	ECN. NO.	NAME	DATE

LIGHT PIPE CONFIGURATION
DETAIL B SCALE 2:1




DETAIL A
SCALE 2:1


RoHS Compliant

TOLERANCE UNSPECIFIED		VITALCON a vital connector company		FOR YOUR VITAL CONNECTION	
.0	± 0.38			TITLE: SFP28 2*8 CONN	
.00	± 0.25	DRAWN BY: BECKER		PART NO: SC281XX	REV: A
.000	± 0.10	CHECKED BY: VTA		SIZE: A4	UNIT:mm
ANGLE	± 3.00°	APPROVED BY: QPF		PROJECTION	SHEET:20F4
MANUFACTURING COPY					FCN: A6
					http://www.vitalconn.com



REV.	ECN. NO.	NAME	DATE




BEZEL CUT-OUT CENTER SPACING DETAIL
BEZEL THICKNESS: 0.8-2.6



RoHS Compliant


TOLERANCE UNSPECIFIED		 a vital connector company		FOR YOUR VITAL CONNECTION	
.0	± 0.38			TITLE: SFP28 2*8 CONN	
.00	± 0.25	DRAWN BY: BECKER		PART NO: SC281XX	
.000	± 0.10	CHECKED BY: VTA		UNIT:mm	
ANGLE	± 3.00°	APPROVED BY: QPF		SHEET:30F4	
MANUFACTURING COPY		PROJECTION		 http://www.vitalconn.com	
REV: A		FCN: A6			

REV.	ECN. NO.	NAME	DATE



RECOMMENDED PCB LAYOUT—COMPONENT SIDE
RECOMMENDED PCB THICKNESS—2.63mm

PIN MAP



DETAIL D
SCALE 2.5:1

RoHS Compliant

TOLERANCE UNSPECIFIED .0 ± 0.38 .00 ± 0.25 .000 ± 0.10 ANGLE ± 3.00° MANUFACTURING COPY		 a vital connector company		FOR YOUR VITAL CONNECTION	
		TITLE: SFP28 2*8 CONN			
DRAWN BY:	BECKER	PART NO:	SC281XX	REV: A	
CHECKED BY:	VTA	SIZE: A4	UNIT: mm	SHEET: 4OF4	FCN: A6
APPROVED BY:	QPF	PROJECTION		http://www.vitalconn.com	